

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)						
(51) International Patent Classification ⁶ :			(11) International Publication Number: WO 98/48981			
B26B 3/08		A1	(43) International Publication Date: 5 No.	ovember 1998 (05.11.98)		
(21) International Application Number:	PCT/GB	98/012	(81) Designated States: AL, AM, AT, AU, BY, CA, CH, CN, CU, CZ, DE, D	, AZ, BA, BB, BG, BR, K, EE, ES, FI, GB, GE,		

(30) Priority Data:

9708327.3

(22) International Filing Date:

25 April 1997 (25.04.97)

GB

24 April 1998 (24.04.98)

(71)(72) Applicant and Inventor: SHAH, Mumtaz [GB/GB]; 96 Newport Road, Chorlton-cum-Hardy, Manchester M21 1WN (GB).

(74) Agents: GOODWIN, Mark et al.; Wilson Gunn M'Caw, 41-51 Royal Exchange, Cross Street, Manchester M2 7BD (GB).

GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).


Published

With international search report.

(54) Title: CUTTING SHEET MATERIAL

(57) Abstract

Apparatus for cutting sheet material comprises a hand-manoeuvrable body (10) comprising separate superimposed parts (11, 12) with a gap (13) between in which a sheet material (23) can be received. The parts are physically connected only by a blade (14), and a pressure means (22), e.g. a freely rotatable wheel is provided to tension the sheet in front of the blade. The gap (13) may be sinusoidal for support, and tensioning of the sheet. A window (24) is provided for viewing the sheet in front of the blade (14).



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL.	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	Prance	LU	Luxembourg	SN	Senegal
ΑŬ	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Отеесе		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	υG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic ·	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	8D	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

5

10

15

20

CUTTING SHEET MATERIAL

This invention relates to apparatus for cutting sheet material.

For cutting sheet material such as paper or cloth plastics, including PVC etc., it is known to use cutting apparatus as an alternative to shears, scissors or a guillotine, which generally comprise a blade mounted to be slidable along some form of linear guide to produce a straight line cut, for example along a measured line for cutting paper or cloth to a required length. An example of such a cutter is the applicant's own British Patent, GB-A-2223976, wherein a blade runs along guides in an arm which is shaped to place the sheet under tension to enable a clean cut to be made by the blade.

Such cutters are useful for cutting sheets to predetermined sizes, for example for office use, or for cutting wallpaper to a required length. The blade is however constrained to move only along the guide, and thus cannot be used for cutting other than straight lines, or for example cutting out paper shapes, or cloth to a pattern, and heretofore scissors or shears have to be used for such purposes.

An object of the invention is to provide apparatus for cutting sheet material which can be used to cut along other than straight line, and which preferably can be used freely, without restriction over the area of a sheet of material.

PCT/GB98/01211

According to the invention, apparatus for cutting sheet material comprises a lower part for placing below a piece of sheet material, an upper part disposed above said lower part, with a gap between said upper and lower parts to receive said piece of sheet material, and a cutting blade secured in said upper and lower parts and extending across said gap.

The cutting blade or a holder and blade combination may be the only mechanical connection between the upper and lower parts, so that there is no obstruction to free movement of the apparatus when engaged with a sheet.

10

5

Resilient pressure exerting means may be provided mounted on one of the parts in the gap to bear on the other part, so that said piece of sheet material can be inserted between said resilient pressure exerting means and said other part to tension the sheet material in the vicinity of the blade, to thus assist a clean cutting action. Such pressure exerting means may also help to distribute a user's hand pressure on the upper part to the lower part without stress on the blade.

15

20

The underside of the lower part may be provided with runners or slides or optionally, rotatable members, to enable the lower part to be moved over a supporting surface such as a cutting table. The runners or slides may comprise inverted domes having a smooth finish, or rotatable members such as wheels or rollers mounted on the lower part, or recessed

5

10

15

20

ball-bearings in sockets or races may be formed in the underside of the lower part.

The upper part may be shaped and configured to provide a handle suitable for manipulation of the apparatus, and to guide and move the apparatus as required.

An embodiment of apparatus according to the invention for cutting sheet material will now be described by way of example, with reference to the accompanying drawings, wherein:-

Fig. 1 is a transverse sectional view of the apparatus;

Fig. 2 is a longitudinal sectional view of the apparatus; and

Fig. 3 is a side view of the apparatus.

Apparatus according to the invention for cutting sheet material, as shown in the drawings, comprises an assembly 10, comprising a lower part 11, and an upper part 12. The upper and lower parts are assembled so that a gap 13 is present between them, and the only mechanical connection between the parts is a cutting blade 14 and its holder, which prevents the parts from being separated.

The lower part 11 is provided at its front and rear ends with respective groups of runners 15, in the form of inverted domes. These are

WO 98/48981 PCT/GB98/01211

-4-

preferably of a self lubricating plastics material such as PTFE, or of metal.

These runners 15 enable the lower part 11 to be moved freely about a surface 16 such as a table.

The upper part 12 is shaped to provide a hand grip surface 17. Blade 14 is held at its upper end in a holder 18 secured in a recess 19 in the upper part 12. The lower end of blade 14 is held in a further holder 20 secured in a recess 21 in the lower part 11. The blade 14 can be removed and replaced in the holders, for example to replace broken or blunted blades.

5

10

15

20

A freely rotatable pressure wheel 22 is carried by the holder 18. This tensions sheet material such as 23 immediately in front of blade 14.

Sheet 23 is of material such as paper and is inserted into the gap 13 until the edge of the sheet abuts the cutting edge of blade 14, and wheel 22 presses on the sheet, pressing it against the upper surface of lower part 11, and subjecting the sheet 23 to tension in the zone of the blade 14. This enables a clean cut to be made by the blade as the apparatus is moved over the support 16.

The gap 13 is contoured as shown in the drawings to provide ridges on the lower part 11 and corresponding recesses in the upper part 12. This produces a sinusoidal-like path for the sheet 23 across the blade, and helps to tension the sheet and provide for support of the upper part by the lower

part.

The weight exerted by the user's hand is passed on to the lower part 11 to each side of the blade rather than through the blade 14, since otherwise the strain on the blade would lead to frequent breakages.

5

As there is no obstruction to the sheet 23 other than the blade and its holder in the gap 13, the apparatus can be moved freely over the support surface 16, cutting along any measured lengths and along straight ruled lines, for example in cutting wrapping paper to length, but also to follow curves etc. as in cutting out paper patterns, or cutting cloth to a pattern for dressmaking; or in a non-straight edge feature such as a moulding.

10

A magnifying window 24 is provided in the upper part, with a space 25 in the upper part allowing visual inspection of the sheet 23 immediately in front of the blade 14.

15

The above is one example of a possible form of apparatus according to the invention, and many of the details may be varied within the scope of the invention. For example, instead of a wheel 14, rollers, dome head bearing members or recessed ball-bearings may be used to allow the lower part to move freely.

20

The number and placing of the pressure exerting members 22 may also be varied, most probably by providing a greater number, to transmit substantially all the hand pressure load to the lower part without stressing

WO 98/48981 PCT/GB98/01211

-6-

the blade.

5

Further, the shape and configuration of the upper part may be varied to provide a suitable or comfortable hand hold in different styles and sizes for single or double-handed operation, for various sizes of hands, or a joy-stick style handle used.

CLAIMS

5

10

15

- 1. Apparatus for cutting sheet material, comprising a lower part for placing below a piece of sheet material, an upper part disposed above said lower part, a gap between said upper and lower parts to receive said piece of sheet material, and a cutting blade secured in said upper and lower parts and extending across said gap.
- 2. Apparatus according to claim 1 wherein said cutting blade or a holder and blade combination is the only mechanical connection between said upper and said lower parts, whereby there is no obstruction to free movement of the apparatus when engaged with a sheet.
- 3. Apparatus according to claim 1 or 2 wherein pressure exerting means are provided on one of the parts in the gap to bear on the other part, so that said piece of sheet material can be inserted between the pressure exerting means and the other part to tension the sheet material in the vicinity of the blade.
- 4. Apparatus according to claim 3 wherein said pressure exerting means comprises a freely rotatable wheel, positioned immediately in front of the blade.
- Apparatus according to any preceding claim, wherein the upper face
 of said lower part and the lower face of said upper part are shaped to
 provide matching sinusoidal surfaces for support of the upper part and

WO 98/48981 PCT/GB98/01211

-8-

tensioning of the sheet.

6. Apparatus according to any preceding claim, wherein a window is provided in one part for viewing the sheet immediately in front of the blade.

INTERNATIONAL SEARCH REPORT

In tional Application No PCT/GB 98/01211

According to International Patent Classification(IPC) or to both national classification and IPC					
According to International Patent Classification (IPC) or to both national classification and IPC					
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols)					
IPC 6 B26B					
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched					
Electronic data base consulted during the international search (name of data base and, where practical, search terms used)					
C. DOCUMENTS CONSIDERED TO BE RELEVANT					
Category Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim N					
x US 3 835 536 A (MARCOUX E) 17 September 1,2					
see column 3, line 36 - column 4, line 6; figures 8-11					
X US 5 282 316 A (ANDERSON DENNIS C) 1 February 1994 see the whole document					
A DE 458 795 C (HANKEL) 29 March 1928 1,3,4 see the whole document					
P,X DE 196 54 034 A (KOCH ANDREAS ; KOCH MARKUS 1 (DE)) 31 July 1997					
see the whole document					
Further documents are listed in the continuation of box C. X Patent family members are listed in annex.					
* Special categories of cited documents: T* later document published after the international filing date or priority date and not in conflict with the application but					
"A" document defining the general state of the art which is not considered to be of particular relevance invention "Considered to be of particular relevance invention."					
"E" earlier document but published on or after the international "X" document of particular relevance; the claimed invention filling date cannot be considered to cannot be considered to involve an inventive step when the document is taken alone					
"L" document which may throw doubts on pnority claim(s) or which is cited to establish the publicationdate of another citation or other special reason (as specified) "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the					
"O" document referring to an oral disclosure, use, exhibition or document is combined with one or more other such document other means document is combined with one or more other such document of the combination being obvious to a person skilled					
"P" document published prior to the international filing date but in the art. In the art. "&" document member of the same patent family					
Date of the actual completion of theinternational search Date of malling of the international search					
4 August 1998 13/08/1998					
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2					
NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl. Fax: (+31-70) 340-3016 Herygers, J					

INTERNATIONAL SEARCH REPORT

Into Ional Application No PCT/GB 98/01211

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 3835536	Α	17-09-1974	NONE	-
US 5282316	Α	01-02-1994	NONE	
DE 458795	С		NONE	
DE 19654034	Α	31-07-1997	NONE	

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.